

1 21 NCAC 36 .0322 is adopted as published in NCR 31:01, pages 32-33, as follows:
2

3 **21 NCAC 36 .0322 FACILITIES**

4 (a) Campus facilities shall be appropriate in type, number, and accessibility for the total needs of the program.

5 (b) Classrooms, ~~laboratories~~, laboratory/simulation space, and conference rooms shall be sufficient in size,
6 number, and types for the number of students and purposes for which the rooms are to be used. Lighting,
7 ventilation, location, and equipment must be suitable for the number of students and purposes for which the
8 rooms are to be used.

9 (c) Office and conference space for nursing program faculty members shall be appropriate and available for
10 uninterrupted work and privacy including conferences with students.

11 (d) Learning resources, including clinical experiences, shall be comprehensive, current, developed with
12 nursing faculty input, accessible to students and faculty and support the implementation of the curriculum.

13

14 *History Note: Authority G.S. 90-171.23(b)(8); 90-171.38;*

15 *Eff. February 1, 1976;*

16 *Amended Eff. December 1, 2016; January 1, 1996; June 1, 1992; January 1, 1989; May 1,*
17 *1988;*

18 *Temporary Amendment Eff. October 11, 2001;*

19 *Amended Eff. April 1, 2006; August 1, 2002.*